

## CURRENT LISTING OF CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

1. (Currently amended) A recyclable carpet or carpet tile comprising:
  - a. a primary backing material having a face and a back side;
  - b. a plurality of fibers attached to the primary backing material and extending from the face of the primary backing material and exposed at the back side of the primary backing material; ~~and~~
  - c. an adhesive composition, wherein the adhesive composition comprises a polymer component comprising from about 80 to about 99 weight percent based upon total weight of the polymer component of at least one homogenously branched ethylene polymer characterized as having a short chain branching distribution index (SCDBI) of greater than or equal to 50 percent, wherein the adhesive composition has substantially penetrated and substantially consolidated the fibers, wherein the adhesive composition is not integrally fused to the primary backing material, and wherein the carpet has a tuft bind of 5 pounds or more as measured according to ASTM D-1335-67; and
  - d. a secondary backing material adjacent to the adhesive composition, wherein the secondary backing material comprises at least one homogenously branched ethylene polymer characterized as having a short chain branching distribution index (SCDBI) of greater than or equal to 50 percent.

2. Cancelled
3. (Previously presented) The carpet or carpet tile of claim 1 wherein the homogeneously branched ethylene polymer is an interpolymers of ethylene with at least one C<sub>3</sub>-C<sub>20</sub> α-olefin.
4. (Previously presented) The carpet or carpet tile of claim 1 wherein the homogeneously branched ethylene polymer is a copolymer of ethylene and one C<sub>3</sub>-C<sub>20</sub> α-olefin.
5. (Previously presented) The carpet or carpet tile of claim 4 wherein the one C<sub>3</sub>-C<sub>20</sub> α-olefin is selected from the group consisting of propylene, 1-butene, 1-isobutylene, 1-pentene, 1-hexene, 4-methyl-1-pentene, 1-heptene and 1-octene.
6. (Previously presented) The carpet or carpet tile of claim 5 wherein the one C<sub>3</sub>-C<sub>20</sub> α-olefin is 1-octene.
- 7-8. Cancelled
9. (Previously presented) The carpet or carpet tile of claim 1 wherein (i) the fibers, primary backing and adhesive composition all comprise a polyolefin polymer, (ii) the olefin monomer chemistry of the polymer component in the adhesive composition differs from that of the fibers and the primary backing, and (iii) the carpet includes a label or literature at the time of sale which represents that the carpet is recyclable without segregation of carpet components.
10. (Previously presented) The carpet or carpet tile of claim 1 wherein the at least one homogeneously branched ethylene polymer is further characterized as having a single differential scanning calorimetry, DSC, melting peak between -30 and 150 °C.

11. (Previously presented) The carpet or carpet tile of claim 10 wherein the at least one homogeneously branched ethylene polymer is a substantially linear ethylene polymer characterized as having:
- a. a melt flow ratio,  $I_{10}/I_2 > 5.63$ ,
  - b. a molecular weight distribution,  $M_w/M_n$  as determined by gel permeation chromatography and defines by the equation:  
$$(M_w/M_n) < (I_{10}/I_2) - 4.63$$
, and
  - c. a gas extrusion rheology such that the critical shear rate at onset of surface melt fracture for the substantially linear ethylene polymer is at least 50 percent greater than the critical shear rate at the onset of surface melt fracture for the linear ethylene polymer, wherein the linear ethylene polymer has a homogeneously branched short chain branching distribution and no long chain branching, and wherein the substantially linear ethylene polymer and the linear ethylene polymer are simultaneously ethylene homopolymers or interpolymers of ethylene and at least one  $C_3$ - $C_{20}$   $\alpha$ -olefin and have the same  $I_2$  and  $M_w/M_n$  and wherein the respective critical shear rates for the substantially linear ethylene polymer and the linear ethylene polymer are measure at the same melt temperature using a gas extrusion rheometer.
12. (Previously presented) The carpet or carpet tile of claim 1 wherein the at least one homogeneously branched ethylene polymer is homogenously branched linear ethylene polymer.
- 13-14. Cancelled.
15. (Previously presented) The carpet or carpet tile of claim 1, wherein the primary backing material consists essentially of a polypropylene material.
- 16.-17. Cancelled